Abusing Android In-app Billing feature thanks to a misunderstood integration

Bsides Lisbon 17 10/11/2017 – Jérémy MATOS



whois securingapps

Developer background

 Worked last 10 years in Switzerland on security products and solutions

• Focus on mobile since 2010

•OWASP Geneva co-chapter leader

Now freelance application security consultant

Consulting to build security in software

Mobile

Web

Internet Of Things

Bitcoin/Blockchain







I. Android In-app billing in a nutshell

2. Real-life exploitation in a rather popular game: getting free credits
Java reverse engineering
Writing a Java hook with Xposed framework
Bytecode patching of application and redistribution

Lessons learned

•4. Recommendations



1. Android In-app billing in a nutshell

Goal: show that Java reverse engineering can cause a loss of value in real-life

Target: Android In-app billing feature

Allow developers to sell content in their app, e.g. Subscribitions to magazines • premium features extra content in games Payment is handled by Google Requires Google Play services No credit card data exposed to developers Documentation available at https://developer.android.com/google/play/billing/index.html



1. Android In-app billing in a nutshell





2. Real-life exploitation 1/13

• (Used to be) rather popular game: PandaPop

In-app purchases to buy credits
 New weapons
 Extra lifes

Step 1: Download the APK archive: e.g. from apk-dl.com
 Avoid executing this binary, or in an emulator



2. Real-life exploitation 2/13

Step 2: Prepare emulator

- I. We will use Genymotion emulator
 - Fast (thanks to x86 image)
 - Rooting possible in 1 click
 - Free version available
- Install Google Play Services in Genymotion device
 - Drag/drop ARM translation zip + restart
 - Drag/drop gapps-lp-<verions>.zip
 - Google Play errors are normal
 - Wait for the various updates to take place
 - At one point, provide a valid gmail account



2. Real-life exploitation 3/13

 Step 3: use jadx free tool to convert automatically an APK in readable Java source code

- I. converts Dalvik bytecode to Java bytecode
- •2. decompiles Java bytecode in Java source code
- •3. displays the results in an IDE for analysis

Step 4: Look for instances of IInAppBillingService This interface cannot be renamed

Proguard, you must add the following line to your Proguard configuration file:

-keep class com.android.vending.billing.**

Nothing is obfuscated! A



2. Real-life exploitation 4/13

 Step 5: Easily review related implementation classes
 Fascinating code in method purchaseProduct of class com.prime31.GoogleIABPlugin

254 Log.w("Prime31", "CANNOT fetch sku type due to either inventory not being queried or it returned no valid skus."); 254 this._currentSkuBeingPurchased = sku; 255 if (sku.equalsIgnoreCase("android.test.purchased")) { 257 Log.i("Prime31", "fixing Google bug where they think the sku " + sku + " is a subscription. resetting to type inapp"); 258 itemType = IabHelper.ITEM_TYPE_INAPP;

Step 6: Find out what android.test.purchased means
 Google is our friend
 https://developer.android.com/google/play/billing_testing.html

• android.test.purchased

When you make an In-app Billing request with this product ID, Google Play responds as though you successfully purchased an item. The response includes a JSON string, which contains fake purchase information (for example, a fake order ID).



2. Real-life exploitation 5/13

Step 7: force value to android.test.purchased and see what happens
 Let's write a hook that forces sku of purchaseProduct to this value

210 public void purchaseProduct(final String sku, final String developerPayload) {

Using **Xposed** framework

- Overload the behavior of an application by intercepting calls in the Dalvik virtual machine
- •No change to the original apk file
- Implement a hook with Android Studio in an independent apk



2. Real-life exploitation 6/13

Prerequisites

- Rooted device to installed the **Xposed** libraries
- Emulator (to avoid smartphone bricking...)

Install hooking framework in Genymotion device

Install terminal application

- Drag/drop terminal.apk
- Start it and type su
- Check that root access is prompted and validate you are really root on the device

• Drag/drop XposedInstaller_3.1.apk

- Start it and choose install
- Reboot the Genymotion device



2. Real-life exploitation 7/13

```
public class Tutorial implements IXposedHookLoadPackage {
    public void handleLoadPackage(final LoadPackageParam lpparm) throws Throwable {
        String ourPackageName = "com.sgn.pandapop.gp";
        String ourClassToHook = "com.prime31.GoogleIABPlugin";
        if (!lpparm.packageName.equals(ourPackageName)) {
            return;
        XposedBridge.log("Hooking loaded");
. 💡
        findAndHookMethod(ourClassToHook, lpparm.classLoader, "purchaseProduct", String.class, String.class, (XC_MethodHook) beforeHookedMethod(param) -> {
                String s1 = (String) param.args[0];
                String s2 = (String) param.args[1];
                XposedBridge.log("On purchase product " + s1 + " ---- " + s2);
                param.args[0] = "android.test.purchased":
        });
```



2. Real-life exploitation 8/13

Step 8: Deploy hook

Build hook apk with Android Studio
Copy it to Genymotion device
Activate hook in Xposed configuration panel
Reboot Genymotion device
Enjoy free credits

• Why does it work ?

 According to Google documentation, no signature is returned with this test value so verification should fail

The vulnerability is easy to find in the reversed source code



2. Real-life exploitation 9/13

	G com.prime31.GoogleIABProxyActivity 🗶 G com.prime31.GoogleIABPluginBase 💥 G com.prime31.util.IabHelperImpl 💥
358 359 360 361 362 363 364 365 366 367 368	<pre>return true; } try { Purchase purchase = new Purchase(this.mPurchasingItemType, purchaseData, dataSignature); try { String sku = purchase.getSku(); if (this.mPurchaseListener != null) { this.mPurchaseListener.onIabPurchaseCompleteAwaitingVerification(purchaseData, dataSignature); } if (!autoVerifySignatures purchase.isTestSku() Security.verifyPurchase(this.mSignatureBase64, purchaseData, dataSignature)) { logDebug("Purchase signature successfully verified."); } </pre>
369 370 371	<pre>if (this.mPurchaseListener != null) { this.mPurchaseListener.onIabPurchaseFinished(new IabResult(0, "Success"), purchase); } Security bypass for test value</pre>
119 120	<pre>public boolean isTestSku() { return thissku.startsWith("android.test"); }</pre>



2. Real-life exploitation 10/13

Step 9: Bytecode patching

Hook requires a rooted smartphone

•We want to update the original apk to be able to deploy it on any device

Android doesn't use Java bytecode but Smali

Classes.dex contains the Java classes converted to Small bytecode

Small bytecode can be transformed back and forth to human readble instructions

Principle

•Get readable smali of original class

•Get readable smali of hook

Manual merge hook in original class

Rebuild the APK with the new small code (including signature)



2. Real-life exploitation 11/13

Convert APK to readable small with command java -jar apktool.jar d your.apk

Edit manually smali code in your/smali

Recompiling with apktool loses native library, instead

- ocp your.apk yourPatched.apk
- ●java -jar smali_2.1.1.jar your/smali -o classes.dex
 (to compile smali code)
- > zip yourPatched.apk classes.dex
- or zip --delete yourPatched.apk "META-INF/*"
 (to delete the existing signature)



2. Real-life exploitation 12/13

• • •

prime31 — vi GoogleIABPlugin.smali — 80×24

```
.method public purchaseProduct(Ljava/lang/String;Ljava/lang/String;)V
    .locals 8
    .param p1, "sku" # Ljava/lang/String;
    .param p2, "developerPayload" # Ljava/lang/String;
   .prologue
   .line 160
   const-string p1, "android.test.purchased"
   invoke-virtual {p0}, Ljava/lang/Object;->getClass()Ljava/lang/Class;
   move-result-object v4
   invoke-virtual {v4}, Ljava/lang/Class;->getSimpleName()Ljava/lang/String;
   move-result-object v4
   const-string v5, "purchaseProduct"
   const/4 v6, 0x2
   new-array v6, v6, [Ljava/lang/Object;
```



2. Real-life exploitation 13/13

•Sign the APK with the key of your choice !

Generate a new signing key with keytool -genkey -v -keystore patch.keystore -alias patch -keyalg RSA keysize 2048 -validity 10000
Enter whatever your want in password and certificate info

Sign APK with jarsigner -verbose -sigalg SHA1withRSA -digestalg SHA1 - keystore patch.keystore yourPatched.apk patch

Ensure signature is OK jarsigner -verify -verbose -certs yourPatched.apk

Deploy to a non rooted device and play ;)We could even publish in the Play Store under a new name !



3. Lessons learned 1/4

Never let debug code in production app

- Special test cases should be removed for official build !
- Poor design choice by Google to accept test value in production

• An access control decision client side is insecure by design

 Google documentation is misleading: cf <u>https://developer.android.com/google/play/billing/billing_best_practices.html</u>

Validating purchase details

It's **highly recommended** to validate purchase details on a server that you trust. If you cannot use a server, however, it's still possible to validate these details within your app on a device.



3. Lessons learned 2/4

Validate on a device

If you cannot run your own server, you can still validate purchase details within your Android app.

Warning: This form of verification isn't truly secure. Because your purchase verification logic is bundled within your app, this logic becomes compromised if your app is reverse-engineered.

You should obfuscate your Google Play public key and In-app Billing code so it's difficult for an attacker to reverse-engineer security protocols a

in-app billing can't be used to buy credits

Designed to purchase original content that is not guessable
Otherwise always possible to modify the counter via hooking or bytecode patching

Consumable products

In contrast, you can implement consumption for products that can be made available for purchase multiple times. Typically, these products provide certain temporary effects. For example, the user's in-game character might gain life points or gain extra gold coins in their inventory. Dispensing the benefits or effects of the purchased product in your

3. Lessons learned 3/4

Responsible disclosure: no one cared

Game editor of PandaPop:/dev/null

Prime 31: wrote the Android in-app purchase integration code

Round 1: Quick feedback through their ticketing tool
• This vulnerability doesn't make any sense »

• « The developer should be checking the sku of the purchased product »

Round 2: I buy the plugin 70 USD
 Unity plugin: C# wrapper on top of Java Android API
 I am supposed to receive integration documents



3. Lessons learned 4/4

Developer doc is in fact just a link to their basic website

Purchase Validation

Google highly recommends always validating purchases on a secure server. The plugin will do on device validation for you but Android apps are very easily hacked so this should not be relied on.

Yet API supports signature verification on an external server
 But provided C# demo does not use it

Round 3: detailed slides back to Prime 31

« Excellent! Many thanks for these, I look forward to reading them today »
 Since then: /dev/null

•As a customer I don't get any fix

4. Recommendations

• 0. Use Proguard obfuscation to slow down a reverser

- Use NDK to embed sensitive logic in C code
 With JNI possible to call C librairies via the native keyword
 Much more effort to reverse and patch binary code (e.g ARM)
- 2. Use a backend for validating purchases
 Still possible to hook/patch the response of the server
- 3. Only sell « real » content
 - and not something easy to guess like a counter
 - e.g Angry Birds sell extra levels
 - and they also use NDK for calls to validation server



4. Recommendations

239

241

247

250 251

260 270 🕒 com.rovio.rcs.payment.google.GooglePlayPaymentProvider

```
private static native void paymentFinished(long j, String str, int i, String str2, String str3);
private static native void restoreDone(long j);
private static native void restoreFailed(long j);
private static native void skuDetailsLoaded(long j, SkuDetails[] skuDetailsArr);
public GooglePlayPaymentProvider(long j) {
   this.f5016b = j;
   Globals.registerActivityListener((IActivityListener) this);
   IntentFilter intentFilter = new IntentFilter("com.android.vending.billing.PURCHASE_UPDATED");
    this.f5021g = new C18591(this);
   this.f5017c.registerReceiver(this.f5021g, intentFilter);
   new Thread(new C18602(this)).start();
```



Conclusion

Android Java reverse engineering is really easy with jadx

- You cannot trust the Java code running in your Android app
 Modifying and resigning an APK is not difficult
- Only server side code can be considered secure

 Google recommendations for in-app purchases are incomplete and misleading

- By design most in-app uses cases are not possible to secure
- Only secure use case: download impredictable content from server



Any question? <u>contact@securingapps.com</u>





Bonus

Possible to debug in Android Studio a reversed app

- Jadx can export to an Android Studio project
- ●Add android:debuggable=''true'' in AndroidManifest.xml
- Resign app
- Deploy and start debugging from Android Studio
- APK signature v2
 Only on Android 7.0
 To be continued ...

